

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant:	Charles L. Euteneuer et al.	Confirmation No.:	9039
Patent No.:	7,153,320	Issued:	December 26, 2006
Serial No.:	10/017,877	Filed:	December 13, 2001
Docket No.:	1001.1517101	Customer No.:	28075
Title:	HYDRAULIC CONTROLLED RETRACTABLE TIP FILTER RETRIEVAL CATHETER		

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR
PTO MISTAKE (37 CFR 1.322(a))**

ATTENTION: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE FOR ELECTRONIC TRANSMISSION: The undersigned hereby certifies that this paper or papers, as described herein, are being electronically transmitted to the U.S. Patent and Trademark Office on this 8 day of March, 2007.

By _____


JoAnn Lindman

Dear Sir:

Attached is Form PTO/SB/44 suitable for printing.

The exact pages and line numbers where the errors are shown correctly in the application file are:

The Examiner's Amendment mailed June 28, 2006, Claim 7 at lines 9 and 10 of page 2.


Please send the Certificate to Customer No.: **28075**.

Respectfully submitted,

Charles L. Euteneuer et al.

By their attorney,

Dated: March 07, 2007


Glenn M. Seager, 36,926
CROMPTON, SEAGER & TUFTE, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, Minnesota 55403-2420
Telephone: (612) 677-9050
Facsimile: (612) 359-9349

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,153,320
APPLICATION NO.: 10/017,877
ISSUE DATE : December 26, 2006
INVENTOR(S) : Charles L. Euteneuer et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5
Lines 6 and 7, delete "proximate the distal end of a sheath".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Glenn M. Seager
CROMPTON, SEAGER & TUFTE, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, Minnesota 55403-2420

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.